

COVID-19 Putting PPE ON



WHAT YOU NEED



Gown



Respirator recommended for **aerosol generating** procedures.



Surgical mask is acceptable for **non-aerosol** generating procedures **if respirator is not available**.




Face shield or eye protection such as goggles.




Gloves

GOWN + GLOVES


- 1** **Batch work and plan ahead**, having items available outside each patient room.



- 2** **Sanitize** hands.



- 3** **Put on** gown outside room. Open-end faces your **back**. **Tie** the back of the gown.



- 4** **Put on** gloves.



RESPIRATOR

- 5** **Put on** respirator (such as N95) or a regular mask, **ensuring** proper seal. **Ensure** straps are not crossed.



- 6** **Verify** mask seal. **Place** hands over the front of the respirator. **Breathe** an easy deep breath in and out.



EYES + ENTRY

- 7** **Put on** face shield or eye protection (such as goggles).



Full PPE must be adjusted and properly fitted **prior** to entering the room.

- 8** **ENTER** room



- 9** **Do not** touch face or re-adjust PPE inside room.



PPE Management Between COVID-19 Contacts

NEXT PATIENT **COVID+** [Extended Wear]

- 1** Remove and dispose of gloves.




- 2** Sanitize hands.




EXIT patient room

- 3** Eye cover and mask stay on.
Only doff and replace if soiled or ill-fitting.




WALKING

- 4** Walk to next patient with confirmed COVID-19.



- 5** Do not touch your face, the walls, rails, or anybody else until reaching the next room.



- 6** Sanitize hands.



- 7** Put on fresh gloves.



ENTRY

- 8** ENTER next Covid-19 patient room.



- 9** Do not touch face or re-adjust respirator or face shield inside room.



Replacing Soiled Gown

Taking PPE OFF

- 1** Reach back and **release** the neck portion.



- 2** Untie the waist.




- 3** Remove and **discard** into bin without touching outside of gown.

DO NOT REUSE.



- 4** Remove and **dispose** gloves.



- 5** Sanitize hands.



PUTTING ON GOWN AND GLOVES

- 6** Put on gown outside room. Open-end faces your **back**. Tie the back of the gown.



- 7** Sanitize hands.




- 8** Put on gloves.



ENTRY

- 9** **ENTER** next Covid-19 patient room.



- 10** Sanitize gloves.



- 11** Do not touch face or re-adjust respirator or face shield inside room.



COVID-19 Terminal Doffing at End of Patient Care

Taking PPE OFF


1

Reach back and release the neck portion.



2

Untie the waist.



3


Remove and discard into bin without touching outside of gown.

DO NOT REUSE.



4

Remove and dispose gloves



5

Sanitize hands.





EXIT patient room

MASK

6

Put on fresh gloves.




7

Sanitize gloves.




8

Remove eyewear and place on wipe.



9

Remove mask, lower strap and then upper. Store mask.



10

Sanitize gloves.



FACE SHIELD

11

Wipe front and back of shield.



12

Wipe elastic band.



13

Wipe foam band.




14

Wipe table.



15

Place shield upside down to dry.




16

Sanitize gloves.



17

Remove gloves.



18

Wash hands with soap and water or sanitize hands.



GOGGLES

19

Wipe front and back of lens.




20

Wipe both ear pieces.



21

Wipe table.



22

Place goggles on clean table to dry.



23

Sanitize gloves.



24

Remove gloves.



25

Wash hands with soap and water.

